

LISTING OF THE CLAIMS

Claims 1-18 are canceled without prejudice.

19. **(new)** A method of shifting a multi-word value comprising:
- performing a first shift operation on a first portion of the multi-word value to produces one or more overflow bits;
 - performing a second shift operation on a second portion of the multi-word value, where the second shift operation comprises:
 - producing a shift result; and
 - concatenating the shift result and the overflow bits.
20. **(new)** The method of claim 19, where the second shift operation is a multi-precision shift instruction, and where the second shift operation produces a result, the method further comprising:
- fetching and decoding the multi-precision shift instruction; and
 - outputting the result.
21. **(new)** The method of claim 20, where the multi-precision shift instruction is a shift left instruction.
22. **(new)** The method of claim 20, where the multi-precision shift instruction is a shift right instruction.
23. **(new)** The method of claim 20, where the multi-precision shift instruction specifies a shift increment.
24. **(new)** The method of claim 20, where the shift increment is greater than or equal to the number of bits in a word.

25. **(new)** The method according to claim 20, where the shift increment is less than the number of bits in a word.
26. **(new)** The method of claim 19, further comprising:
storing one or more bits shifted out of the second portion of the multi-word value during the second shift instruction in a carry register.
27. **(new)** The method of claim 19, where concatenating the shift result and the overflow bits comprises:
performing a logical OR operation on at least one bit in the shift result and at least one overflow bit.
28. **(new)** The method of claim 19, further comprising:
storing one or more of the overflow bits in a carry register.

29. (new) A processor for processing multi-precision shift instructions, comprising:
- a program memory for storing instructions including at least one multi-precision shift instruction;
 - a program counter for identifying current instructions for processing; and
 - a barrel shifter for executing shift instructions, including the at least one multi-precision shift instruction, the barrel shifter including:
 - one or more carry registers for storing values shifted out of sections of the barrel shifter; and
 - OR logic for concatenating values stored in one or more carry registers with values in the barrel shifter; and
- where the barrel shifter is operable to shift a multi-word value, and where when shifting a multi-word value the barrel shifter:
- executes at least one shift instruction to:
 - load a first operand into a section within the barrel shifter, where the first operand is a first portion of the multi-word value; and
 - generate one or more overflow bits; and
 - executes at least one multi-precision shift instruction fetched from the program memory to:
 - load a second operand into a section within the barrel shifter, where the second operand is a second portion of the multi-word value;
 - shift the operand;
 - concatenate the operand with one or more of the overflow bits; and
 - output the shifted value.

30. **(new)** The processor of claim 29, where the multi-precision shift instruction is a shift left instruction.
31. **(new)** The processor of claim 29, where the multi-precision shift instruction is a shift right instruction.
32. **(new)** The processor of claim 29, where the multi-precision shift instruction is an arithmetic shift instruction.
33. **(new)** The processor of claim 29, where the multi-precision shift instruction is a logical shift instruction.
34. **(new)** The processor of claim 29, where the multi-precision shift instruction specifies a shift increment.